

TSRI 409.1D2.txt SEQUENCE LISTING

RECEIVED

AUG 0 1 2003
TECH CENTER 1600/2900

(1) GENERAL INFORMATION:

- (i) APPLICANT: Barbas, Carlos F, III Burton, Dennis R Lerner, Richard A
- (ii) TITLE OF INVENTION: METHODS FOR PRODUCING ANTIBODY LIBRARIES USING UNIVERSAL OR RANDOMIZED IMMUNOGLOBULIN LIGHT CHAINS
- (iii) NUMBER OF SEQUENCES: 70
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: The Scripps Research Institute
 - (B) STREET: 10666 North Torrey Pines Road, TPC8
 - (C) CITY: La Jolla
 - (D) STATE: CA
 - (E) COUNTRY: USA
 - (F) ZIP: 92037
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 09/610,551
 - (B) FILING DATE: 05-JUL-2000
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 07/826,623
 - (B) FILING DATE: 27-JAN-1992
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/174,674
 (B) FILING DATE: 28-DEC-1993
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/300,386
 (B) FILING DATE: 02-SEP-1994
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/931,645
 - (B) FILING DATE: 16-SEP-1997
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Fitting, Thomas
 - (B) REGISTRATION NUMBER: 34,163
 - (C) REFERENCE/DOCKET NUMBER: TSRI 409.1
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 858-554-2937
 - (B) TELEFAX: 858-554-6312
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 687 base pairs

TSRI 409.1D2.txt (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear

| (ii) MOLECULE TYPE: cDNA | |
|---|-----|
| (iii) HYPOTHETICAL: NO | |
| (iv) ANTI-SENSE: NO | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1: | |
| CTCGAGCAGT CTGGGGCTGA GGTGAAGAG CCTGGGTCCT CGGTGAAGGT CTCCTGCAGG | 60 |
| GCTTCTGGAG GCACCTTCAA CAATTATGCC ATCAGCTGGG TGCGACAGGC CCCTGGACAA | 120 |
| GGGCTTGAGT GGATGGGAGG GATCTTCCCT TTCCGTAATA CAGCAAAGTA CGCACAACAC | 180 |
| TTCCAGGGCA GAGTCACCAT TACCGCGGAC GAATCCACGG GCACAGCCTA CATGGAGCTG | 240 |
| AGCAGCCTGA GATCTGAGGA CACGGCCATA TATTATTGTG CGAGAGGGGA TACGATTTTT | 300 |
| GGAGTGACCA TGGGATACTA CGCTATGGAC GTCTGGGGCC AAGGGACCAC GGTCACCGTC | 360 |
| TCCGCAGCCT CCACCAAGGG CCCATCGGTC TTCCCCCTGG CACCCTCCTC CAAGAGCACC | 420 |
| TCTGGGGGCA CAGCGGCCCT GGGCTGCCTG GTCAAGGACT ACTTCCCCGA ACCGGTGACG | 480 |
| GTGTCGTGGA ACTCAGGCGC CCTGACCAGC GGCGTGCACA CCTTCCCGGC TGTCCTACAG | 540 |
| TCCTCAGGAC TCTACTCCCT CAGCAGCGTG GTGACCGTGC CCTCCAGCAG CTTGGGCACC | 600 |
| CAGACCTACA TCTGCAACGT GAATCACAAG CCCAGCAACA CCAAGGTGGA CAAGAAAGCA | 660 |
| GAGCCCAAAT CTTGTGACAA AACTAGT | 687 |
| (2) INFORMATION FOR SEQ ID NO:2: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 646 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (iii) HYPOTHETICAL: NO | |
| (iv) ANTI-SENSE: NO | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2: | |
| GAGCTCACGC AGTCTCCAGG CACCCTGTCT TTGTCTCCAG GGGAAAGAGC CACCCTCTCC | 60 |
| TGCAGGGCCA GTCACAGTGT TAGCAGGGCC TACTTAGCCT GGTACCAGCA GAAACCTGGC | 120 |
| CAGGCTCCCA GGCTCCTCAT CTATGGTACA TCCAGCAGGG CCACTGGCAT CCCAGACAGG | 180 |
| TCCAGTGGCA GTGGGTCTGG GACAGACTTC ACTCTCACCA TCAGCAGACT GGAGCCTGAA | 240 |

| GATTTTGCAG T | GTACTACTG TCAGCAGTAT | GGTGGCTCAC | CGTGGTTCGG | CCAAGGGACC | 300 |
|--------------------------|---|-------------|------------|------------|-----|
| AAGGTGGAAC T | CAAACGAAC TGTGGCTGCA | CCATCTGTCT | TCATCTTCCC | GCCATCTGAT | 360 |
| GAGCAGTTGA A | ATCTGGAAC TGCCTCTGTT | GTGTGCCTGC | TGAATAACTT | CTATCCCAGA | 420 |
| GAGGCCAAAG T | ACAGTGGAA GGTGGATAAC | GCCCTCCAAT | CGGGTAACTC | CCAGGAGAGT | 480 |
| GTCACAGAGC A | GGACAGCAA GGACAGCACC | TACAGCCTCA | GCAGCACCCT | GACGCTGAGC | 540 |
| AAAGCAGACT A | CGAGAAACA CAAAGTCTAC | GCCTGCGAAG | TCACCCATCA | GGGCCTGAGT | 600 |
| TCGCCCGTCA C | AAAGAGCTT CAACAGGGGA | GAGTGTTAAT | TCTAGA | | 646 |
| (2) INFORMAT | ION FOR SEQ ID NO:3: | | | | |
| (A (E (C (I | UENCE CHARACTERISTICS) LENGTH: 21 base pai) TYPE: nucleic acid) STRANDEDNESS: singl) TOPOLOGY: linear | irs | | | |
| , , | ECULE TYPE: cDNA | | | | |
| , , | OTHETICAL: NO | | | | |
| (iv) ANT | 'I-SENSE: NO | | | | |
| (xi) SEÇ | QUENCE DESCRIPTION: SI | EQ ID NO:3: | | | 21 |
| (2) INFORMAT | TION FOR SEQ ID NO:4: | | | | |
| (<i>I</i> (E | QUENCE CHARACTERISTICS LENGTH: 21 base paid) TYPE: nucleic acid STRANDEDNESS: sing TOPOLOGY: linear | irs | | | |
| (ii) MOI | ECULE TYPE: cDNA | | | | |
| (iii) HYI | POTHETICAL: NO | | | | |
| (iv) AN | CI-SENSE: YES | | | | |
| (xi) SEQ | QUENCE DESCRIPTION: S | EQ ID NO:4: | | | |
| ATACTGCTGA (| CAGTAATACA C | | | | 21 |
| (2) INFORMA | TION FOR SEQ ID NO:5: | | | | |
| () () () | QUENCE CHARACTERISTIC A) LENGTH: 57 base pa B) TYPE: nucleic acid C) STRANDEDNESS: sing D) TOPOLOGY: linear | irs | | | |

(ii) MOLECULE TYPE: cDNA

| (iii) | HYPOTHETICAL: NO | |
|----------|--|----|
| (iv) | ANTI-SENSE: NO | |
| | | |
| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:5: | |
| TATTACTG | TC AGCAGTATNN KNNKNNKNNK ACTTTCGGCG GAGGGACCAA GGTGGAG | 57 |
| (2) INFO | RMATION FOR SEQ ID NO:6: | |
| (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 21 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) | MOLECULE TYPE: cDNA | |
| (iii) | HYPOTHETICAL: NO | |
| (iv) | ANTI-SENSE: YES | |
| | | |
| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:6: | |
| AATACGAC | TC ACTATAGGGC G | 21 |
| (2) INFO | RMATION FOR SEQ ID NO:7: | |
| (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 48 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) | MOLECULE TYPE: cDNA | |
| (iii) | HYPOTHETICAL: NO | |
| (iv) | ANTI-SENSE: NO | |
| | | |
| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:7: | |
| TATTACTG | TC AGCAGTATNN KNNKNNKNNK ACTTTCGGCG GAGGGACC | 48 |
| (2) INFO | RMATION FOR SEQ ID NO:8: | |
| (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 60 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) | MOLECULE TYPE: cDNA | |
| (iii) | HYPOTHETICAL: NO | |

| (iv) ANTI-SENSE: NO | |
|--|----|
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8: | |
| TATTACTGTC AGCAGTATNN KNNKNNKNNK NNKACTTTCG GCGGAGGGAC CAAGGTGGAG | 60 |
| (2) INFORMATION FOR SEQ ID NO:9: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 51 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (iii) HYPOTHETICAL: NO | |
| (iv) ANTI-SENSE: NO | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9: | |
| TATTACTGTC AGCAGTATNN KNNKNNKNNK NNKACTTTCG GCGGAGGGAC C | 51 |
| (2) INFORMATION FOR SEQ ID NO:10: | |
| (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 75 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (iii) HYPOTHETICAL: NO | |
| (iv) ANTI-SENSE: NO | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10: | |
| GATTTTGCAG TGTATTACTG TCAGCAGTAT NNKNNKNNKN NKNNKNNKAC TTTCGGCGGA | 60 |
| GGGACCAAGG TGGAG | 75 |
| (2) INFORMATION FOR SEQ ID NO:11: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 54 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |

(iii) HYPOTHETICAL: NO

(iv) ANTI-SENSE: NO

(ii) MOLECULE TYPE: cDNA

| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11: | |
|--|----|
| TATTACTGTC AGCAGTATNN KNNKNNKNNK NNKNNKACTT TCGGCGGAGG GACC | 54 |
| (2) INFORMATION FOR SEQ ID NO:12: | |
| (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 75 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (iii) HYPOTHETICAL: NO | |
| (iv) ANTI-SENSE: NO | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12: | |
| GATTTTGCAG TGTATTACTG TNNKNNKNNK NNKNNKNNKN NKNNKNNKNN KTTCGGCGGA | 60 |
| GGGACCAAGG TGGAG | 75 |
| (2) INFORMATION FOR SEQ ID NO:13: | |
| (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 70 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (iii) HYPOTHETICAL: NO | |
| (iv) ANTI-SENSE: YES | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13: | |
| GTTCCACCTT GGTCCCTTGG CCGAAMNNMN NMNNMNNMNN MNNMNNMNNA CAGTAGTACA | 60 |
| CTGCAAAATC | 70 |
| (2) INFORMATION FOR SEQ ID NO:14: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 76 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |

(iii) HYPOTHETICAL: NO

| (iv) ANTI-SENSE: YES | |
|--|-------------|
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14: | |
| GTTCCACCTT GGTCCCTTGG CCGAAMNNMN NMNNMNNMNN MNNMNNMNNM NN | MNNACAGT 60 |
| AGTACACTGC AAAATC | 76 |
| (2) INFORMATION FOR SEQ ID NO:15: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 94 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (iii) HYPOTHETICAL: NO | |
| (iv) ANTI-SENSE: YES | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:15: | |
| GTTCCACCTT GGTCCCTTGG CCGAAMNNMN NMNNMNNMNN MNNMNNMNNM NN | MNNMNNMN 60 |
| NMNNMNNMNN MNNACAGTAG TACACTGCAA AATC | 94 |
| (2) INFORMATION FOR SEQ ID NO:16: | |
| (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 25 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (iii) HYPOTHETICAL: NO | |
| (iv) ANTI-SENSE: NO | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:16: | |
| TTCGGCCAAG GGACCAAGGT GGAAC | 25 |
| (2) INFORMATION FOR SEQ ID NO:17: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 22 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOI ECHI E TYDE, CDNA | |

(iii) HYPOTHETICAL: NO

| (iv) | ANTI-SENSE: NO | |
|----------|--|----|
| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:17: | |
| GCAATTAA | CC CTCACTAAAG GG | 22 |
| (2) INFO | RMATION FOR SEQ ID NO:18: | |
| (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 24 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) | MOLECULE TYPE: cDNA | |
| (iii) | HYPOTHETICAL: NO | |
| (iv) | ANTI-SENSE: YES | |
| | | |
| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:18: | |
| TCTCGCAC | AG TAATACACGG CCGT | 24 |
| (2) INFO | RMATION FOR SEQ ID NO:19: | |
| (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 57 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) | MOLECULE TYPE: cDNA | |
| (iii) | HYPOTHETICAL: NO | |
| (iv) | ANTI-SENSE: NO | |
| | | |
| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:19: | |
| GCCGTGTA | TT ACTGTGCGAG ANNKNNKNNK GACNNKTGGG GCCAAGGGAC CACGGTC | 57 |
| (2) INFO | RMATION FOR SEQ ID NO:20: | |
| (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 21 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) | MOLECULE TYPE: cDNA | |
| (iii) | HYPOTHETICAL: NO | |
| | Davis 0 | |

| (iv) ANTI-SENSE: | YES |
|------------------|-----|
|------------------|-----|

| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:20: | |
|--|----|
| TTGATATTCA CAAACGAATG G | 21 |
| (2) INFORMATION FOR SEQ ID NO:21: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 72 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (iii) HYPOTHETICAL: NO | |
| (iv) ANTI-SENSE: NO | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:21: | |
| GCCGTGTATT ACTGTGCGAG AGGTNNKNNK NNKNNKNNKN NKNNKGACNN KTGGGGCCAA | 60 |
| GGGACCACGG TC | 72 |
| (2) INFORMATION FOR SEQ ID NO:22: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 90 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (iii) HYPOTHETICAL: NO | |
| (iv) ANTI-SENSE: NO | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:22: | |
| GCCGTGTATT ACTGTGCGAG AGGTNNKNNK NNKNNKNNKN NKNNKNNKNN KNNKNNKNNK | 60 |
| NNKGACNNKT GGGGCCAAGG GACCACGGTC | 90 |
| (2) INFORMATION FOR SEQ ID NO:23: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 51 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (iii) HYPOTHETICAL: NO | |

| (iv) ANTI-SENSE: NO | |
|--|----|
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:23: | |
| GTGTATTATT GTGCGAGANN SNNSNNSNNS NNSTGGGGCC AAGGGACCAC G | Г1 |
| (2) INFORMATION FOR SEQ ID NO:24: | 51 |
| (i) SEQUENCE CHARACTERISTICS: | |
| (A) LENGTH: 66 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (iii) HYPOTHETICAL: NO | |
| (iv) ANTI-SENSE: NO | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:24: | |
| GTGTATTATT GTGCGAGANN SNNSNNSNNS NNSNNSNNSN NSNNSNNSTG GGGCCAAGGG | 60 |
| ACCACG | 66 |
| (2) INFORMATION FOR SEQ ID NO:25: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 84 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: cDNA | |
| (iii) HYPOTHETICAL: NO | |
| (iv) ANTI-SENSE: NO | |
| | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:25: | |
| GTGTATTATT GTGCGAGANN SNNSNNSNNS NNSNNSNNSN NSNNSNNSNN SNNSNN | 60 |
| NNSNNSTGGG GCCAAGGGAC CACG | 84 |
| (2) INFORMATION FOR SEQ ID NO:26: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |

(ii) MOLECULE TYPE: cDNA

(iii) HYPOTHETICAL: NO

| (iv) | ANTI-SENSE: NO | |
|----------|--|--|
| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO: | 26: |
| TATACTGT | TCA GCAGTAT | 17 |
| (2) INFO | DRMATION FOR SEQ ID NO:27: | |
| (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) | MOLECULE TYPE: cDNA | |
| (iii) | HYPOTHETICAL: NO | |
| (iv) | ANTI-SENSE: NO | |
| | | |
| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO: 2 | 27 : |
| GATTTTGC | AG TGTATTACTG TCAGCAGTAT | 30 |
| (2) INFO | RMATION FOR SEQ ID NO:28: | |
| (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 27 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) | MOLECULE TYPE: cDNA | |
| (iii) | HYPOTHETICAL: NO | |
| (iv) | ANTI-SENSE: NO | |
| | | |
| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO: 2 | 8: |
| ACTTTCGG | CG GAGGGACCAA GGTGGAG | 27 |
| (2) INFO | RMATION FOR SEQ ID NO:29: | |
| (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) | MOLECULE TYPE: cDNA | |
| (iii) | HYPOTHETICAL: NO | |
| (iv) | ANTI-SENSE: NO | - 11 |
| | (xi) TATACTGT (2) INFO (ii) (iii) (iv) (xi) GATTTTGO (i) (iii) (iv) (xi) ACTTTCGG (2) INFO (i) (iii) (iv) | (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2 GATTTTGCAG TGTATTACTG TCAGCAGTAT (2) INFORMATION FOR SEQ ID NO:28: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 27 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2 ACTTTCGGCG GAGGGACCAA GGTGGAG (2) INFORMATION FOR SEQ ID NO:29: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single |

Page 11

| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:29: | |
|-----------|---|----|
| ACTTTCGG | CG GAGGGACC | 18 |
| (2) INFO | RMATION FOR SEQ ID NO:30: | |
| (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 25 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) | MOLECULE TYPE: cDNA | |
| (iii) | HYPOTHETICAL: NO | |
| (iv) | ANTI-SENSE: NO | |
| | | |
| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:30: | |
| GTTCCACC | TT GGTCCCTTGG CCGAA | 25 |
| (2) INFO | RMATION FOR SEQ ID NO:31: | |
| (i) | SEQUENCE CHARACTERISTICS: (A) LENGTH: 21 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear | |
| (ii) | MOLECULE TYPE: cDNA | |
| (iii) | HYPOTHETICAL: NO | |
| (iv) | ANTI-SENSE: NO | |
| | | |
| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:31: | |
| ACAGTAGT. | AC ACTGCAAAAT C | 21 |
| (2) INFO | RMATION FOR SEQ ID NO:32: | |
| | SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 amino acids (B) TYPE: amino acid (D) TOPOLOGY: linear | |
| (ii) | MOLECULE TYPE: protein | |
| (v) | FRAGMENT TYPE: internal | |
| | | |
| (xi) | SEQUENCE DESCRIPTION: SEQ ID NO:32: | |
| Gly | Trp Ser Arg Trp Ser Gly Leu Asp Trp Page 12 | |

1

(2) INFORMATION FOR SEQ ID NO:33:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids (B) TYPE: amino acid

 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

Ser Ser Thr Lys Ile Met Arg Leu Asp Thr

- (2) INFORMATION FOR SEQ ID NO:34:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

Gly Met Phe Arg Arg Gly Phe Tyr Asp Arg

- (2) INFORMATION FOR SEQ ID NO:35:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 15 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

Gly Val Arg Asn Asn Phe Gly Arg Trp His Trp Val Trp Asp Ser

- (2) INFORMATION FOR SEQ ID NO:36:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 16 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: cDNA
- (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

Gly Arg Ala Val Arg Gly Ser Arg Lys Arg Val Leu Gly Tyr Asp Arg

- (2) INFORMATION FOR SEQ ID NO:37:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 16 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

Gly Arg Pro Gly Val Val Arg Arg Ile Ala Pro Arg Met Asp Ile

- (2) INFORMATION FOR SEQ ID NO:38:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 16 amino acids (B) TYPE: amino acid

 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

Gly Pro Lys Gly Val Phe Pro Arg Trp Gly Met Ala Ser Phe Asp Arg

- (2) INFORMATION FOR SEQ ID NO:39:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 16 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

Gly Val Asn Leu Phe Arg Val Arg Asn Ser Arg Pro His Leu Asp Met

- (2) INFORMATION FOR SEQ ID NO:40:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids

 - (B) TYPE: amino acid
 (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:
 - Gly Leu Arg Gly Ser Arg Gly Phe Asp Arg
- (2) INFORMATION FOR SEQ ID NO:41:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:
 - Gly Ser Trp Leu Arg Gly Pro Tyr Asp Met
- (2) INFORMATION FOR SEQ ID NO:42:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:
 - Gly Thr Leu Gly Glu Gly Gly Tyr Asp Arg
- (2) INFORMATION FOR SEQ ID NO:43:
 - (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 16 amino acids
- (B) TYPE: amino acid(D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

Gly Trp Arg Ser Ser Arg Gly Val Val Trp Val Phe Ser Gly Asp Ala
1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:44:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 16 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEO ID NO:44:

Gly Asp Trp Gly Trp Phe Thr Arg Val Ala Thr Trp Arg Pro Asp Val 1 5 10 15

- (2) INFORMATION FOR SEQ ID NO:45:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:

Gln Gln Tyr Leu Pro Gly Gly Arg Tyr Thr $1 \hspace{1cm} 5 \hspace{1cm} 10$

- (2) INFORMATION FOR SEQ ID NO:46:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal

- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:
- Gln Gln Tyr Arg Val Glu Gly Gln Thr
- (2) INFORMATION FOR SEQ ID NO:47:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 8 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:
 - Gln Gln Tyr Gly Gly Ser Pro Trp 5
- (2) INFORMATION FOR SEQ ID NO:48:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:
 - Gln Gln Tyr Ser Arg His Arg Phe Thr
- (2) INFORMATION FOR SEQ ID NO:49:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:49:
 - Gln Gln Tyr Arg Tyr Pro Leu Ile Trp Thr 1 5
- (2) INFORMATION FOR SEQ ID NO:50:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:50:

 $\begin{array}{ll} \operatorname{Gln} \ \operatorname{Gln} \ \operatorname{Tyr} \ \operatorname{Gly} \ \operatorname{Ser} \ \operatorname{Ser} \ \operatorname{Leu} \ \operatorname{Trp} \ \operatorname{Thr} \\ 1 \\ & 5 \end{array}$

- (2) INFORMATION FOR SEQ ID NO:51:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

Gln Gln Tyr Thr Arg Pro Gly Val Thr

- (2) INFORMATION FOR SEQ ID NO:52:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids (B) TYPE: amino acid

 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:52:

Gln Gln Tyr Ser Phe Lys Asn Trp Thr 5

- (2) INFORMATION FOR SEQ ID NO:53:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:53:

Gln Gln Tyr Gly Tyr Arg Lys Trp Thr $\frac{1}{5}$

- (2) INFORMATION FOR SEQ ID NO:54:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

Gln Gln Tyr Thr Pro Arg Arg Gly Ala Thr

- (2) INFORMATION FOR SEQ ID NO:55:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

Gln Gln Tyr Thr Pro Arg Val Gly His Thr

- (2) INFORMATION FOR SEQ ID NO:56:
 - (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 amino acids

 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:56:

Gln Gln Tyr Lys Tyr Gly Arg Gly Met Thr 1 5 10

(2) INFORMATION FOR SEQ ID NO:57:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (v) FRAGMENT TYPE: internal
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:57:
- (2) INFORMATION FOR SEQ ID NO:58:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 9 amino acids
 - (B) TYPE: amino acid(D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:58:
 - Gln Gln Tyr Val Arg Arg Ser Gly Thr
- (2) INFORMATION FOR SEQ ID NO:59:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids
 (B) TYPE: amino acid
 (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:
 - Gln Gln Tyr Gly Lys Arg Ser Pro Val Thr 1 5 10
- (2) INFORMATION FOR SEQ ID NO:60:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 10 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (v) FRAGMENT TYPE: internal

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

| Gln Gln Tyr Ala Arg Ala Thr Gly Leu Thr 1 5 10 | |
|---|-----|
| (2) INFORMATION FOR SEQ ID NO:61: | |
| (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 10 amino acids(B) TYPE: amino acid(D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: protein | |
| (v) FRAGMENT TYPE: internal | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:61: | |
| Gln Gln Tyr Ser Arg Phe Val Ser Arg Thr 1 5 10 | |
| (2) INFORMATION FOR SEQ ID NO:62: | |
| (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 280 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: DNA (genomic) | |
| (xi) SEQUENCE DESCRIPTION: SEQ ID NO:62: | |
| GAGCTCACCC AGTCTCCATC CTCCCTGTCT GCATCTGTAG GAGACAGAGT CACCATCACT | 60 |
| TGCCGGGCAA GTCAGCGCAT TAGCAGCTAT TTAAATTGGT ATCAGCAGGA ACCAGGGGAA | 120 |
| GCCCCTAAGC TCCTGATCTA TGCTGCATCC AGGTTTGCAA AGTGGGGTCC CATCAAGGTT | 180 |
| CAGTGGCAGT GGATCTGGGA CAGATTTCAC TCTCACCATC AGCAGTCTGC AACCTGAAGA | 240 |
| TTTTGCAACT TACTACTGTC AACAGAGTTA CAGTACCCCG | 280 |
| (2) INFORMATION FOR SEQ ID NO:63: | |
| (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 124 amino acids(B) TYPE: amino acid(D) TOPOLOGY: linear | |
| (ii) MOLECULE TYPE: protein | |

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:63:

Leu Glu Ser Gly Gly Asp Leu Val Gln Pro Gly Gly Ser Leu Arg Leu 1 5 10 15

Ser Cys Glu Ala Ser Gly Phe Thr Phe Gly Ser Tyr Ala Met Thr Trp 20 25 30

Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ser Ser Pro Ser 35 40 45

Ala Asn Gly Asp Phe Ala Tyr Tyr Ala Asp Ser Val Lys Gly Arg Phe 50 60

Thr Ile Ser Arg Asp Lys Ser Lys His Thr Leu Phe Leu Gln Met His 65 70 75 80

Ser Leu Arg Val Glu Asp Thr Ala Val Tyr Tyr Cys Ala Lys Ala Gly 85 90 95

Arg Ile Leu Gly Val Val Leu Trp Tyr Ser Leu Tyr Tyr Gly Phe Asp $100 \hspace{1.5cm} 105 \hspace{1.5cm} 110$

Val Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser 115

(2) INFORMATION FOR SEQ ID NO:64:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 118 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:64:

Val Ser Cys Lys Ala Ser Gly Tyr Asn Phe Asn Ser His Asp Ile Asn 20 25 30

Trp Val Arg Gln Ala Thr Gly Gln Gly Leu Glu Trp Ile Gly Trp Ile 35 40 45

Thr Asn Arg Gly Thr Thr Ser Arg Tyr Ala Gln Lys Phe Gln Gly Arg 50 55 60

Ser Ser Leu Thr Ser Glu Asp Thr Ala Val Tyr Tyr Cys Ala Arg Gly
85 90 95

Ala Gly Ala Gly Gly Thr Trp Gly Met Asp Val Trp Gly Gln Gly Thr 100 105 110

Thr Val Ile Val Ser Ser 115

(2) INFORMATION FOR SEQ ID NO:65:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 119 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

Gln Val Lys Leu Leu Glu Ser Gly Ala Glu Val Lys Lys Pro Gly Ala

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Ile

Gly Trp Ile Ser Pro Asn Arg Gly Ala Thr Arg Phe Ala Gln Lys Phe 50 60

Gln Gly Arg Val Thr Met Thr Ser Asp Thr Ser Ile Asn Thr Val Tyr 65 70 75 80

Met Glu Leu Ser Gly Leu Arg Phe Asp Asp Thr Ala Val Tyr Tyr Cys

Ala Thr Thr Arg Thr Ala Tyr Tyr Gly Met Asp Val Trp Gly Gln Gly

Thr Thr Val Thr Val Ser Ser 115

- (2) INFORMATION FOR SEQ ID NO:66:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 107 amino acids
 - (B) TYPE: amino acid(D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:66:

Val Thr Ile Thr Cys Arg Ala Ser Gln Ser Ile Ser Ser Tyr Ile Asn

Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile Tyr Ala $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45$

Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Gly 50 55 60

Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp 65 70 75 80

Phe Ala Thr Tyr Cys Gln Gln Ser Tyr Ser Thr Pro Phe Thr Phe 85 90 95

Cys Pro Gly Thr Lys Val Asp Ile Lys Arg Thr

- (2) INFORMATION FOR SEQ ID NO:67:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 107 amino acids (B) TYPE: amino acid

 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:67:
 - Glu Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly Asp Arg
 - Val Thr Ile Thr Cys Arg Ala Ser Gln Arg Ile Ser Ser Tyr Ile Asn 20 25 30
 - Trp Tyr Gln Gln Glu Lys Pro Gly Ala Pro Lys Leu Leu Ile Tyr Ala
 - Ala Ser Ser Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly Ser Gly 50 55 60
 - Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu Asp 65 70 75 80
 - Phe Ala Thr Tyr Cys Gln Gln Ser Tyr Ser Thr Pro Tyr Thr Phe 85 90 95
 - Cys Gln Gly Thr Lys Leu Glu Ile Lys Arg Thr
- (2) INFORMATION FOR SEQ ID NO:68:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 109 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:68:
 - Glu Leu Val Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Glu Gly
 - Asp Thr Val Thr Ile Thr Cys Arg Ala Ser Glu Asn Ile Ser Arg Tyr
 - Ser Asn Trp Tyr Gln Gln Gln Pro Gly Lys Ala Pro Lys Leu Leu Ile
 - Ser Ala Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser Gly Page 24

50

Ser Gly Ser Gly Thr His Phe Thr Leu Thr Ile Asn Ser Leu Gln Pro 65 70 75 80

Gly Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Thr Tyr Ser Ser Pro Phe 85 90 95

Thr Phe Cys Gln Gly Thr Lys Leu Glu Ile Lys Arg Thr 100 105

(2) INFORMATION FOR SEQ ID NO:69:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 109 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:

Glu Leu Val Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
1 10 15

Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Gln Thr Ile Gly Thr Tyr 20 25 30

Ile Asn Trp Tyr Gln Gln Lys Pro Gly Glu Ala Pro Lys Leu Leu Ile 35 40 45

Tyr Thr Ala Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Arg Gly 50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro

Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Tyr Ser Thr Pro Trp

Thr Phe Cys Gln Gly Thr Lys Val Glu Ile Lys Arg Thr 100 105

- (2) INFORMATION FOR SEQ ID NO:70:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 110 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: protein
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:

Glu Leu Val Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly

Asp Arg Val Thr Ile Ser Gly Cys Arg Ala Ser Gln Asn Ile Gly Lys 20 25 30

Page 25

- Tyr Ile Asn Trp Tyr Arg Gln Lys Pro Gly Lys Ala Pro Glu Leu Leu 35 40 45
- Ile Tyr Gly Thr Ser Thr Leu Gln Ser Gly Val Pro Ser Arg Phe Ser 50 60
- Gly Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Gln 70 75 80
- Pro Glu Asp Phe Ala Thr Tyr Tyr Cys Gln Gln Ser Tyr Ser Thr Pro 85 90 95